## **APPENDIX I**

# SUMMARY OF BASIC KEYWORDS, VARIABLE NAMES, AND PREDEFINE FUNCTIONS

| KEYWORD      | DESCRIPTION  | EVAMDIEC                   | CHAPTER        |
|--------------|--|----------------------------|----------------|
| DATA         | DESCRIPTION Stores numeric or string   | EXAMPLES DATA 4,5,6,7      | REFERENCE<br>4 |
|              | data in the program  | DATA "JOE","JIM"           |                |
| DEF          | Defines a function   | $DEF\;FNA(X)\;=\;X/4$      | 5              |
| DIM          | Defines one- and two-<br>dimensional arrays  | DIM A\$(20),B(5,10)        | 5              |
| END          | Indicates to the interpreter/<br>compiler there are no more<br>instructions and terminates<br>execution of the program | END                        | 3              |
| FOR/NEXT     | <b>FOR</b> begins a <b>FOR-NEXT</b> loop and specifies the control of the loop   | FOR X = 1 TO Y STEP 2      | 5              |
|              | <b>STEP</b> specifies the value to be used to increment the running variable   |                            |                |
|              | NEXT transfers control to<br>the beginning of the<br>FOR-NEXT loop   | NEXT X                     | 5              |
| GOSUB/RETURN | GOSUB transfers control to a subroutine  | GOSUB 80                   | 5              |
|              | <b>RETURN</b> transfers control from a subroutine back to the statement immediately following the GOSUB statement      | RETURN                     | 5              |
| GOTO         | Unconditionally transfers control to the statement specified   | GOTO 120                   | 4              |
| IF THEN      | If the condition proves true control is transferred to the specified statement number                                  | IF X = 2 THEN 70           | 4              |
| INPUT        | Allows user to enter data during program execution   | INPUT X,Y\$                | 4              |
| LET          | Assigns the value of a constant, variable, or an expression to a variable  | LET X = 1<br>LET X = X + 1 | 3              |

# INTRODUCTION TO PROGRAMMING IN BASIC

| KEYWORD     | DESCRIPTION   | EXAMPLES   | CHAPTER<br>REFERENCE |
|-------------|---|--|----------------------|
| ON GOTO     | Selects the line number<br>of the next statement to be<br>executed based on its posi-<br>tional relationship to the<br>integer value of the variable<br>or expression, and transfers<br>control to that statement | ON X/10 GOTO 70,90,110   | 5                    |
| PRINT       | Prints the value of any constant, variable, or expression   | PRINT 10<br>PRINT X<br>PRINT (X+Y)/2<br>PRINT "MESSAGE"            | 3                    |
| PRINT USING | Used in conjunction with a format line to print   | 100 PRINT USING 110,N\$<br>110%################################### | 6                    |
|             | output in accordance with specifications in format line   | 70 PRINT USING 80,U,S<br>80% \$#,###.## \$###.##                   |                      |
| READ        | Assigns variable names to data in <b>DATA</b> statements  | READ C(X,Y)<br>READ A,B\$  | 4                    |
| REM         | Allows for programmer comments in the program   | REM THIS PROGRAM<br>REM COMPUTES MILES<br>REM PER GALLON           | 2                    |
| RESTORE     | Resets the pointer to<br>the top of the data list.<br>Used after <b>READ</b> state-<br>ments when data is to be<br>read more than once.   | RESTORE  | 4                    |
| STOP        | Terminates execution of the program. Can be used anywhere in a program. Does not replace the <b>END</b> statement   | STOP   | 5                    |
| TAB         | Used in conjunction with <b>PRINT</b> statement to specify in what print position printing is to begin  | PRINT TAB(25);C\$<br>PRINT TAB(40);''RATE''                        | 6                    |

#### **APPENDIX II**

## **MAT STATEMENTS**

As stated in Chapter 5, the functions that can be performed by **MAT** (matrix) statements can be done with **FOR-NEXT** loops. However, if your computer has MAT statements, it is more convenient to use one MAT statement to create a matrix than it is to use nested FOR-NEXT loops to do the same thing.

A matrix containing numbers can be read, inputted, added, subtracted, multiplied, printed, or manipulated in various ways. However, before any matrix operations can be performed, the computer must know the size of the matrix. The size of the matrix is defined by using DIM statements at the beginning of the program, for example, **DIM P(6, 12).** 

To illustrate the convenience and power of MAT operations, let's use the sea pay program from Chapter 5.

10

190 200

210

**END** 

**DIM P(6,12)** 

20 FOR G = 1 TO 6 30 FORS = 1 TO 1240 READ P(G,S) **NEXT S** 50 60 **NEXT G** 70 PRINT "SEA PAY CALCULATION PROGRAM (E4-E9)" 80 PRINT "INPUT WHOLE NUMBERS ONLY" 90 PRINT "WHAT IS YOUR PAYGRADE" **INPUT G** 100 110 LET G = G - 3120 PRINT "HOW MANY YEARS SEA DUTY (1-12)" 130 **INPUT S** 140 PRINT "YOUR SEA PAY SHOULD BE \$";P(G,S) 150 DATA 60,125,160,175,175,175,175,175,175,175,175,175 160 DATA 70,140,175,185,190,205,220,220,220,220,220 170 DATA 135,170,190,210,215,225,235,245,255,255,255,255 180 DATA 145,215,235,255,260,265,265, 270,275,280,300,310

DATA 180,225,255,265,270,280,285,290,300,310,310,310

DATA 195,235,265,280,290,310,310,310,310,310,310,310

Lines 20 through 60 can be replaced by one MAT statement:

#### 20 MAT READ P

**READ** will read all the data into a matrix named "P," with 6 rows and 12 columns.

The elements in the matrix will still be referenced by the values input at lines 100 and 130.. The method for identifying the elements in a matrix is the same as that used in Chapter 5. Each element in a matrix is identified by its row number and column number in a subscripted variable.

Suppose we wanted to print the entire matrix, we would include a statement such as:

#### 65 MAT PRINT P

This one statement would cause the 72 elements in matrix P to be printed.

Another function that can be performed on a matrix is multiplication. Suppose there was a 4% increase in sea pay, and you wanted to update the sea pay table without rekeying the data. One way this could be accomplished is by multiplying all the elements in the matrix by 104. The MAT instruction to do this would look like this:

### 68 MAT P = (104)\*P

This would cause all the elements in matrix P to be multiplied by 104 and the updated sea pay rates written back into the matrix named P. By multiplying the matrix by 1.04% (104), it eliminates computing the 4% increase and having to add the increase back into the matrix. The new rates are computed and automatically written back into the matrix named P.

The following list shows some MAT statements with an explanation of their function.

| MAT<br>Statement | Explanation of Function   |  |  |
|------------------|---|--|--|
| MAT INPUT X      | Allows user to input a matrix called X via the console (terminal)                         |  |  |
| MAT PRINT Z      | Prints a matrix called Z  |  |  |
| MAT READ M       | Reads a matrix called M   |  |  |
| MAT D = (N)*P    | Defines matrix D as equal to the constant number N times matrix P (sea pay table example) |  |  |
| MAT C = X*Y      | Defines matrix $C$ as being equal to matrix $X$ times matrix $Y$                          |  |  |
| MAT U = ZER      | Completely fills matrix U with zeroes   |  |  |
| MAT B = CON      | Completely fills matrix B with ones   |  |  |

For more detailed instructions on the use of MAT instructions, consult your computer user's reference manual.

#### APPENDIX III

## **GLOSSARY**

ARRAY—An arrangement of elements in a meaningful pattern of one or more dimensions.

CODING SHEETS—Forms or sheets of paper on which programs are written.

CONDITIONAL TRANSFER STATEMENT—A statement used to alter the normal sequence of program execution based on the result of the evaluation of a condition.

CONSTANT—An element whose value does not change during program execution.

DATA—Elements that represent information which may be processed or produced by a computer.

DECISION TABLE—A tabular method to show all the elements of a problem and what actions are to be taken based on all possible conditions of the elements. Used in problem analysis to document a problem solution.

EXPRESSION—A combination of symbols (constants, variables, arithmetic operators, and functions) used to define a desired computation or calculation.

FIELD—In a record, a specified area used for a particular category of data.

FILE—A collection of related records treated as a unit.

INCREMENT—To increase the value of a counter.

INTEGER—A positive or negative number without fractional parts.

INTERACTIVE—A computer environment that permits the user to respond directly to the actions of individual programs during their execution.

KEYWORDS—Words defined in the BASIC programming language and used in statements to identify the type of statement, such as LET, PRINT, READ, and DATA.

#### INTRODUCTION TO PROGRAMMING IN BASIC

LINE NUMBER—A unique number placed at the beginning of each BASIC statement which serves as a statement label and program sequence number.

LOOP—A set of program instructions to be executed repetitively.

MACROINSTRUCTION—An instruction in a source language that is equivalent to a specified sequence of machine instructions.

MATRIX—A two-dimensional array.

MEMORY—An area in a computer which is capable of storing data and programs.

MNEMONIC SYMBOL—A symbol selected because it is easy to remember; e.g., "mpy" for "multiply."

PRINT ZONE—A specified area in a printed output line where the results of a print statement element may be printed. Each output line consists of multiple zones.

PROGRAM—A series of instructions in a given language which instructs a computer to perform specified operations to solve a problem.

PROGRAM EXECUTION—The interpretation and performance of the program instructions by the computer.

PROGRAMMING LANGUAGE—A language designed to express computer programs.

RECORD—A collection of related items of data treated as a unit.

SIGN—The arithmetic symbol used to identify a positive or negative value.

STATEMENT—A generalized source language instruction to a computer telling it to do a specified operation or series of operations.

SUBSCRIPT—A number, variable, or expression used with an array name to indicate the relative location of an element in a given array.

SYNTAX—The rules governing the structure of a language.

SYSTEM COMMAND—A command that can be given directly to the computer instructing it to do something with the system or a program, such as RUN, SAVE, and LIST.

TERMINAL—A human-to-machine and machine-to-human communication device that provides a means of interaction between an executing program and a person. Normally, a terminal is composed of a keyboard entry device and an interconnected display such as a printer or a cathode-ray tube.

UNCONDITIONAL TRANSFER STATEMENT—A statement used to alter the normal sequence of program execution regardless of any condition.

VARIABLE—An element whose value may change during program execution.

# **INDEX**

| A   | Control statements, 4-6 to 4-17<br>GOTO (unconditional), 4-6 to 4-8<br>IF-THEN (conditional), 4-9 to 4-13 |
|---|---|
| Arithmetic expressions, BASIC programs, 3-10 to 3-12                      | ON-GOTO (conditional), 4-13 to 4-14 sample problem, 4-14 to 4-17  |
| parentheses rule, 3-11 to 3-12  | Correcting mistakes, keying in a program, 2-8   |
| precedence rule, 3-11<br>Arrays, working with, 5-6 to 5-11<br>arrays, 5-8 | D   |
| DIM (DIMENSION) statement, 5-7  | Data field, 7-3   |
| sample problem using nested loops and a matrix, 5-9 to 5-11               | file, 7-3   |
| Assigning statement numbers, 2-6  | record, 7-3   |
| Assignment (LET) statement, 3-8 to 3-10                                   | DATA statement, 4-1 to 4-3  |
|   | Data, storing and retrieving, 7-3 to 7-7  |
| В   | solving problems with file processing statements, 7-3 to 7-7  |
|   | Debugging, program coding, 1-13   |
| BASIC character set, 2-3  | Defining your own functions, 5-11 to 5-13   |
| BASIC keywords, summary, AI-1 to AI-2                                     | DEF (DEFINE) statement, 5-11 to 5-13  |
| BASIC numbers, 2-3  | DIM (DIMENSION) statement, 5-7  |
| BASIC programs, writing simple, 3-1 to 3-10 END statement, 3-1            | Documentation, program coding, 1-15   |
| LET statement, 3-8 to 3-10  | E   |
| PRINT statement, 3-2 to 3-8   | 12  |
| Branching, see transfer of control  | End of file, 7-5, 7-6   |
|   | END statement, 3-1  |
| С   | ${f F}$   |
| Close statement, 7-4  | Flowchart, 1-3, 1-4   |
| Coding a program, 1-13, 1-14  | programming, 1-4  |
| Constants and variables, BASIC programs,                                  | system, 1-3   |
| 3-12 to 3-14  | Flowcharting, 1-3 to 1-9  |
| numeric-constant, 3-13  | constructing a flowchart, 1-7, 1-9  |
| numeric-variable name, 3-13   | tools of flowcharting, 1-4 to 1-8   |
| string-constants and string-variables, 3-13                               | flowcharting template, 1-5, 1-7   |
| to 3-14   | flowchart worksheet, 1-7, 1-8   |

# INTRODUCTION TO PROGRAMMING IN BASIC

| Flowcharting—Continued tools of flowcharting—Continued fundamental symbols, 1-4, 1-6 graphic symbols, 1-5  Formatting printed output, 6-1 to 6-14 format control characters, 6-5 PRINT USING statement, 6-4 to 6-7 TAB function, 6-1 to 6-4  FOR-NEXT, simplifying loops using, 5-1 to 5-6 FOR-TO statement, 5-2 to 5-4 nested loops, 5-5 to 5-6  FOR-TO statement, 5-2 to 5-4 Fundamental concepts, 2-5 to 2-7 assigning statement numbers, 2-6 spacing within statements, 2-7 | Introduction to programming, 1-1 to 1-19 problem solving concepts, flowcharting, and programming languages, 1-1 to 1-16 flowcharting, 1-3 to 1-9 constructing a flowchart, 1-7, 1-9 tools of flowcharting, 1-4 to 1-8 overview of programming, 1-1 to 1-3 program coding, 1-9 to 1-16 coding a program, 1-13, 1-14 debugging, 1-13 documentation, 1-15 implementation, 1-15 to 1-16 instruction set, 1-11 instructions, 1-9, 1-10 programming languages, 1-11 to 1-13 testing, 1-13, 1-15 |
|---|---|
|   | K   |
| Glossary, AIII-1 to AIII-2 GOSUB and RETURN statements, 5-14 to 5-16 GOTO statement (unconditional), 4-6 to 4-8   | Keying in a program, 2-7 to 2-11 correcting mistakes, 2-8 keying statements, 2-7 to 2-8 REMARK statement, 2-11 Keywords, summary, AI-1 to AI-2  |
|   | L   |
| IF END statement, 7-5, 7-6<br>IF-THEN statement (conditional), 4-9 to<br>4-13   | Languages, programming, 1-11 to 1-13 machine, 1-12  |
| Implementation, program coding, 1-15 to 1-16 INPUT statement, 4-4   | procedure-oriented, 1-12 to 1-13 symbolic, 1-12   |
| Instruction set, program coding, 1-11 Instructions, program coding, 1-9, 1-11   | LET statement, 3-8 to 3-10<br>Literals, 6-5   |
| Introduction to BASIC, 2-1 to 2-14 fundamental concepts and language structure, 2-1 to 2-12   | Loops, 4-7 to 4-13, 5-5 to 5-6  M   |
| keying in a program, 2-7 to 2-11  |   |
| correcting mistakes, 2-8 to 2-11 keying statements, 2-7 to 2-8  | Machine languages, programming, 1-12<br>Master file, 7-3 to 7-6   |
| REMARK statement, 2-11 fundamental concepts, 2-5 to 2-7   | MAT statements, AII-1 to AII-2<br>Mistakes, correcting, keying in a program, 2-8  |
| assigning statement numbers, 2-6 spacing within statements, 2-7   | N   |
| statement structure, 2-1 to 2-5 BASIC character set, 2-3 BASIC numbers, 2-3 predefine functions, 2-4 to 2-5   | Nested loops, 5-5 to 5-6<br>Numeric constant, BASIC programs, 3-13<br>Numeric-variable name, BASIC programs,<br>3-13  |

S

0

| ON-GOTO statement (unconditional), 4-13 to 4-14       | Solving problems with BASIC, 4-1 to 4-21 READ, RESTORE, INPUT, GOTO, |
|---|--|
| Open statement, 7-4                                   | IF-THEN, ON-GOTO, and Loops, 4-1 to 4-17                             |
| P   | control statements, 4-6 to 4-17                                      |
|   | GOTO statement (unconditional),                                      |
| Parentheses rule, BASIC programs, 3-11 to 3-12        | 4-6 to 4-8 IF-THEN statement (condi-                                 |
| Precedence rule, BASIC programs, 3-11                 | tional), 4-9 to 4-13   |
| Predefined functions, statement structure, 2-4 to 2-5 | ON-GOTO statement (conditional), 4-13 to 4-14                        |
| Predefined functions, summary, AI-1 to AI-2           | sample problem using control   |
| Predefined functions, using, 5-11                     | statements, 4-14 to 4-17   |
| PRINT statement, 3-2 to 3-8                           | INPUT statement, 4-4   |
| comma (standard), 3-5 to 3-7                          | READ and DATA statements, 4-1 to                                     |
| semicolon (packed), 3-7 to 3-8                        | 4-3  |
| PRINT USING statement, 6-4 to 6-7                     | RESTORE statement, 4-4   |
| Problem solving steps, 1-1                            | Solving simple problems with BASIC, 3-1 to                           |
| Procedure-oriented language, programming,             | 3-19   |
| 1-12 to 1-13  | END, PRINT, LET, constants, variables,                               |
| Program coding, 1-9 to 1-16                           | arithmetic operations, 3-1 to 3-15                                   |
| coding a program, 1-13, 1-14                          | arithmetic expressions, 3-10 to 3-12                                 |
| debugging, 1-13                                       | arithmetic operators, 3-10   |
| documentation, 1-15                                   | parentheses rule, 3-11 to 3-12                                       |
| implementation, 1-15 to 1-16                          | precedence rule, 3-11  |
| instruction set, 1-11                                 | constants and variables, 3-12 to 3-14                                |
| instructions, 1-9, 1-11                               | numeric-constant, 3-13   |
| programming languages, 1-11 to 1-13                   | numeric-variable name, 3-13  |
| machine languages, 1-12                               | string-constants and string-vari-                                    |
| procedure-oriented languages, 1-12 to                 | ables, 3-13 to 3-14  |
| 1-13  | writing simple BASIC programs, 3-1                                   |
| symbolic languages, 1-12                              | to 3-10  |
| testing, 1-13, 1-15                                   | END statement, 3-1   |
| Programming, overview, 1-1 to 1-3                     | LET statement, 3-8 to 3-10   |
| Programs, storing and retrieving, 7-1 to 7-2          | PRINT statement, 3-2 to 3-8  |
| _   | Spacing within statements, 2-7                                       |
| R   | Spacing, in printed output, see PRINT and PRINT USING                |
| READ, RESTORE, INPUT, GOTO,                           | Statement numbers, assigning, 2-6                                    |
| IF-THEN, ON-GOTO, and Loops, 4-1 to                   | Statement structure, 2-1 to 2-5                                      |
| 4-17  | BASIC character set, 2-3   |
| control statements, 4-6 to 4-17                       | alphabetic, 2-3  |
| INPUT statement, 4-4                                  | numeric, 2-3   |
| READ and DATA statements, 4-1 to 4-3                  | other, 2-3   |
| RESTORE statement, 4-4                                | special, 2-3   |
| REMARK statement, keying in a program,                | BASIC language keyword, 2-2  |
| 2-11<br>DETUDN  | BASIC numbers, 2-3 to 2-4  |
| RETURN statement, 5-14 to 5-16                        | scientific notation, 2-4   |

## INTRODUCTION TO PROGRAMMING IN BASIC

| Statement structure—Continued   | V  |
|---|--|
| descriptive information, 2-2 predefined functions, 2-4 to 2-5 statement number, 2-2 | Variable names, summary, AI-1 to AI-2<br>Variables |
| STOP statement, 5-16  | numeric-variables, 3-13, 3-14                      |
| Storing and retrieving programs and data, 7-1                                       | running variables, 5-2, 5-3                        |
| to 7-13   | string-variables, 3-13, 3-14                       |
| storing and retrieving data, 7-3 to 7-7   | subscripted variables, 5-12, 5-13                  |
| solving problems with file processing   | 1  |
| statements, 7-3 to 7-7  | $\mathbf{W}$                                       |
| storing and retrieving programs, 7-1 to   |  |
| 7-2   | Worksheet, flowcharting, 1-7, 1-8                  |
| String-constants and string-variables, 3-13 to                                      | Writing more effective and efficient programs,     |
| 3-14  | 5-1 to 5-24  |
| Subroutines, constructing and using, 5-13   | FOR-NEXT, STEP, DIM, GOSUB,                        |
| to 5-16   | RETURN, arrays, and nested loops,                  |
| GOSUB and RETURN statements, 5-14   | 5-1 to 5-24  |
| to 5-16   | constructing and using subroutines,                |
| Summary of BASIC keywords, variable   | 5-13 to 5-16                                       |
| names, and predefine functions, AI-1 to   | GOSUB and RETURN state-                            |
| AI-2  | ments, 5-14 to 5-16                                |
| Symbolic language, programming, 1-12  | defining your own functions, 5-11 to               |
| Symbols, flowcharting, 1-4 to 1-6   | 5-13   |
|   | simplifying loops using FOR-NEXT, 5-1 to 5-6       |
| T   | FOR-TO statement, 5-2 to 5-4                       |
| •   | nested loops, 5-5 to 5-6                           |
|   | STOP statement, 5-16                               |
| TAB function, 6-1 to 6-4  | using predefine functions, 5-11                    |
| Template, flowcharting, 1-5, 1-7  | working with arrays, 5-6 to 5-11                   |
|   | arrays, 5-8  |
| Testing, program coding, 1-13, 1-15   | DIM (DIMENSION) statement,                         |
| Transfer of control $A_{-}6$ to $A_{-}17$   | 5-7  |

sample problem using nested loops and a matrix, 5-9 to 5-11

conditional, 4-6, 4-9 to 4-14 unconditional, 4-6 to 4-8

#### OFFICER-ENLISTED CORRESPONDENCE COURSE

## INTRODUCTION TO PROGRAMMING IN BASIC

#### **NAVEDTRA 10079-2**

Congratulations! By enrolling in this course, you have demonstrated a desire to improve yourself and the Navy. Remember, however, this self-study course is only one part of the total Navy training program. Practical experience, schools, selected reading, and your desire to succeed are also necessary to successfully round out a fully meaningful training program. You have taken an important step in self-improvement. Keep up the good work.

HOW TO COMPLETE THIS COURSE SUCCESSFULLY

ERRATA: If an errata comes with this course, make all indicated changes or corrections before you start an assignment. Do not change or correct the textbook or assignments in any other way.

TEXTBOOK ASSIGNMENTS: The textbook for this course is Introduction to Programming in BASIC, NAVEDTRA 10079-2. The textbook pages that you are to study are listed at the beginning of each assignment. Study these pages carefully before attempting to answer the questions in the course. Pay close attention to tables and illustrations because they contain information that will help you understand the text. Read the learning objectives provided at the beginning of each chapter or topic in the text and/or preceding each set of questions in the course. Learning objectives state what you should be able to do after studying the material. answering the questions correctly helps you accomplish the objectives.

SELECTING YOUR ANSWERS: After studying text, you should be ready to answer the questions in the assignment. Read each question carefully, then select the BEST answer. Be sure to select your answer from the subject matter in the textbook. You may refer freely to the textbook and seek advice and information from others on problems that may arise in the course. However, the answers must be the result of your own work and decisions. You are prohibited from referring to or copying the answers of others and from giving answers to anyone else taking the same course. Failure to follow these rules can result in suspension from the course and disciplinary action by the Commander, Naval Military Personnel Command.

SUBMITTING COMPLETED ANSWER SHEETS: It is recommended that you complete all assignments as quickly as practicable to derive maximum benefit from the course. However, as a minimum, your schedule should provide for the completion of at least one assignment per month—a requirement established by the Chief of Naval Education and Training. Failure to meet this requirement could result in disenrollment from the course.

TYPES OF ANSWER SHEETS: If you received Automatic Data Processing (ADP) answer sheets with this course, the course is being administered by the Naval Education and Training Program Development Center (NAVEDTRAPRODEVCEN), and you should follow the instructions in paragraph A below. If you did NOT receive ADP answer sheets with this course, you should use the manually scored answer sheets attached at the end of the course and follow the directions contained in paragraph B below.

#### A. ADP Answer Sheets

All courses administered by the NAVED-TRAPRODEVCEN include one blank ADP answer sheet for each assignment. For proper computer processing, use only the original ADP answer sheets. Reproductions are not acceptable.

Recording Information on the ADP Answer Sheets: Follow the "MARKING INSTRUCTIONS" on the answer sheet. Be sure that blocks 1, 2, and 3 are filled in correctly. This information is necessary for your course to be properly processed and for you to receive credit for your work.

As you work the course, be sure to mark your answers in the course booklet because your answer sheets will not be returned to you. When you have completed an assignment, transfer your answers from the course booklet to the answer sheet.

Mailing the Completed ADP Answer Sheets:
As you complete each assignment, mail the completed ADP answer sheet to:

Commanding Officer Naval Education and Training Program Development Center Pensacola, FL 32559-5000

The answer sheets must be mailed in envelopes, which you must either provide yourself or get from the local Educational Services Officer (ESO). You may enclose more than one answer sheet in a single envelope. Remember, regardless of how many answer sheets you submit at a time, the NAVEDTRAPRODEVCEN should receive at least one a month. NOTE: DO NOT USE THE COURSE COMMENTS PAGE AS AN ENVELOPE FOR RETURNING ANSWER SHEETS OR OTHER COURSE MATERIALS.

Grading: The NAVEDTRAPRODEVCEN will grade your answer sheets and notify you by letter of any incorrect answers. The passing score for each assignment is 3.4. Should you get less than 3.4 on any assignment, a blank ADP answer sheet will be enclosed with the letter listing the questions incorrectly answered. You will be required to redo the assignment and resubmit a new completed answer sheet. The maximum score that can be given for a resubmitted assignment is 3.4.

Course Completion: When you complete the last assignment, fill out the "course Completion" form in the back of the course and enclose it with your last answer sheet. The NAVEDTRAPRODEVCEN will issue you a letter certifying that you satisfactorily completed the course. You should ensure that credit for the course is entered in your service record.

Student Questions: Any questions concerning this course should be referred to the NAVEDTRAPRODEVCEN by mail using the address listed above or by telephone: AUTOVON 922-1329, FTS 948-1329, or commercial (904) 452-1329.

#### B. Manually Scored Answer Sheets

If you did not receive ADP answer sheets with this course, it is being administered by your local command and you must use the answer sheets attached at the end of the course booklet.

Recording Information on the Manually Scored Answer Sheets: Fill in the appropriate blanks at the top of the answer sheet. This information is necessary for your course to be properly processed and for you to receive credit for your work. As you work the course, be sure to mark your answers in the course booklet, because your answer sheets will not be returned to you. When you have completed an assignment, transfer your answers from the course booklet to the answer sheet.

Submitting the Completed Manually
Scored Answer Sheets: As you complete each
assignment, submit the completed answer
sheet to your ESO for grading. You may
submit more than one answer sheet at a time.
Remember, you must submit at least one
assignment a month.

Grading: Your ESO will grade the answer sheets and notify you of any incorrect answers. The passing score for each assignment is 3.4. Should you get less than 3.4 on any assignment, the ESO will not only list the questions incorrectly answered but will also give you a pink answer sheet marked "RESUBMIT." You will be required to redo the assignment and complete the "RESUBMIT" answer sheet. The maximum score that can be given for a resubmitted assignment is 3.4.

Course Completion: After you have submitted all the answer sheets and have earned at least a 3.4 on each assignment. your command will give you credit for this course by making the appropriate entry in your service record.

Student Questions: Any questions concerning the administration of this course should be referred to your ESO.

#### NAVAL RESERVE RETIREMENT CREDIT

This course is evaluated at 3 Naval Reserve retirement points, which will be credited upon satisfactory completion of the two assignments.

Points Assignments

These points are creditable to personnel eligible to receive them under current directives governing retirement of Naval Reserve personnel.

Naval reserve officers should anticipate some delay in delivery of course completion

certification as certifications must be forwarded via Naval Officer Record Support Activity for recording and endorsement.

#### COURSE OBJECTIVES

In completing this OCC-ECC, you will demonstrate a knowledge of the BASIC computer programming language by correctly answering questions. Specifically, you should be able to:

DIFFERENTIATE between the problem solving steps in programming. DESCRIBE the purpose and characteristics of flowcharts. RECOGNIZE flowcharting symbols and their meanings. DESCRIBE the final steps in the programming process.

DESCRIBE the fundamental concepts, structure, and syntax of BASIC.  $\,$ 

DESCRIBE the uses of the END and PRINT statements in BASIC programs and RECOGNIZE their syntax. IDENTIFY the symbols used for arithmetic

operations. WRITE BASIC statements to solve arithmetic expressions. DEFINE and RECOGNIZE constants and variables.

CODE statements to introduce data into a computer system. SELECT and USE transfer of control statements to alter the normal sequence of program execution and to control program loops.

DEFINE the structure and rules of FOR-NEXT loops. DEFINE and USE arrays. DESCRIBE functions and subroutines, and keywords.

CODE statements to format printed output.

Naval courses may include a variety of questions -- multiple-choice, true-false, matching, etc. The questions are not grouped by type; regardless of type, they are presented in the same general sequence as the textbook material upon which they are based. This presentation is designed to preserve continuity of thought, permitting step-by-step development of ideas. Some courses use many types of questions, others only a few. The student can readily identify the type of each question (and the action required) through inspection of the samples given below.

#### MULTIPLE-CHOICE QUESTIONS


Each question contains several alternatives, one of which provides the best answer to the question. Select the best alternative, and blacken the appropriate box on the answer sheet.

#### SAMPLE

- s-1. The first person to be appointed Secretary of Defense under the National Security Act of 1947 was
  - 1. George Marshall
  - 2. James Forrestal

  - Chester Nimitz
     William Halsey

Indicate in this way on the answer sheet:




#### TRUE-FALSE QUESTIONS

Mark each statement true or false as indicated below. If any part of the statement is false the statement is to be considered false. Make the decision, and blacken the appropriate box on the answer sheet.

#### SAMPLE

s-2. Any naval officer is authorized to correspond officially with any systems command of the Department of the Navy without his commanding officer's endorsement.

Indicate in this way on the answer sheet:



#### MATCHING QUESTIONS

Each set of questions consists of two columns, each listing words, phrases or sentences. The task is to select the item in column B which is the best match for the item in column A that is being considered. Items in column B may be used once, more than once, or not at all. Specific instructions are given with each set of questions. Select the numbers identifying the answers and blacken the appropriate boxes on the answer sheet.

#### SAMPLE

In questions s-3 through s-6, match the name of the shipboard officer in column A by selecting from column B the name of the department in which the officer functions.

Indicate in this way on the answer sheet:

- s-3. Damage Control Assistant
- s-4. CIC Officer
- s-5. Disbursing Officer
- s-6. Communications Officer
- 1. Operations Department
- 2. Engineering Department
- 3. Supply Department

|     | 1 | 2 | 3 | 4 |  |
|-----|---|---|---|---|--|
| s-3 |   |   |   |   |  |
| s-4 |   |   |   |   |  |
| s-5 |   |   |   |   |  |
| s-6 |   |   |   |   |  |

# **Assignment 1**

Introduction to Programming and the Fundamental Concepts and Structure of BASIC, Including Constants, Variables, Expressions, Arithmetic Operations, and Input/Output

Textbook Assignment: pages 1-1 through 4-6


Learning Objective: Differentiate between the problem solving steps used in programming.

- 1-1. Which of the following is the first and most important step in problem solving?
  - Preparing a flowchart of the problem solution
  - Developing a thorough understanding of the problem
  - 3. Coding the program
  - 4. Documenting the program
- 1-2. Once the problem definition is written, what is the next step in the problem-solving process?
  - 1. Coding the program
  - 2. Constructing the flowchart
  - 3. Completing documentation
  - 4. Preparing test data

Learning Objective: Describe the purpose and characteristics of flow-charts. Recognize the flowcharting symbols and their meanings.

- 1-3. A system flowchart is used to define the major phases of processing and to
  - 1. specify equipment to be used
  - 2. show the sequence of operations in a program
  - 3. show the path of data through the problem solution
  - 4. specify record layouts


- 1-4. A programming flowchart is used for which of the following pur- poses?
  - To represent the path of data through a problem solution
  - To represent the sequence of operations in a program
  - 3. Both 1 and 2 above
  - 4. To specify operator instruc-
- 1-5. Who usually constructs the programming flowchart?
  - 1. The customer
  - 2. The data base analyst
  - 3. The system analyst
  - 4. The programmer
- 1-6. Which of the following flow-charting symbols would be used to indicate the testing of a relational condition?



TO ANSWER QUESTIONS 1-7 THROUGH 1-9, SELECT FROM COLUMN B THE SYMBOL THAT MATCHES THE OPERATION LISTED IN COLUMN A. ALL RESPONSES WILL NOT BE USED.


#### A. OPERATIONS B. SYMBOLS

- 1-7. Compute average scores
- 1-8. read data file
- 1-9. If A > B THEN









- Arrows are used to represent the flow direction on a flowchart. What is the normal direction of flow , if any?
  - Left to right only 1.
  - Top to bottom only
  - Left to right and top to
  - There is no normal direction

Learning Objective: Differentiate between the types of programming instructions and languages.

- The symbols in a flowchart represent the instruction(s) to be performed by the computer. 1-11.What type of instruction allows comparison between data?
  - 1. Arithmetic
  - 2. Logic
  - Input/output 3.
  - 4. Unconditional transfer

- 1-12. An instruction which causes a change in the normal sequence of execution is called what type of instruction?
  - Logic
  - 2. Transfer of control
  - 3. Decision
  - Input/output
- A programming language that is 1-13. written in a code the computer understands without being translated is known as
  - symbolic language
     machine language

  - 3. procedure-oriented language
  - macro language
- 1-14. A programming language that is oriented toward a specific class of processing problems is known

  - machine language
     symbolic language
  - 3. procedure-oriented language
  - 4. macro language
- Which of the following is NOT an 1-15. advantage realized as a result of using a procedure-oriented language?
  - 1.
  - It is easier to learn It is compatible with a 2. variety of computers
  - It is easier to maintain
  - 4. It uses less memory space

Learning Objective: Describe the final steps in the programming process.

- The process of manually tracing 1-16. data through typical program paths is known as
  - desk-checking
  - 2. debugging
  - testing
  - verifying

- 1-17. The process of determining that 1-22. What part of an instruction is valid and invalid data can be used to tell the computer what processed correctly and that the output is correct is known as

  - debugging
     implementing
     testing

  - 4. documenting
- 1-18. The process of collecting, organizing, storing, and maintaining a history of a program and documents associated with it is known as
  - 1. implementation

  - 2. data collection 3. systems analysis
  - 4. documentation
- The method of processing a job 1-19 . using both the old program and the new program is known as
  - 1. multiprocessing

  - 3. parallel processing
  - 4. testing

Learning Objective: Describe the fundamental concepts, structures and syntax of BASIC.

- Which of the following is the 1-20. primary purpose for which BASIC was originally designed?
  - 1. To be an easy-to-learn language
  - To be a scientific language
  - 3. To be a general-purpose language
  - 4. To be a file-processing language
- Which of the following parts of 1-21. a BASIC statement is used to indicate to the computer the sequence of the instructions?
  - Descriptive information
     Keyword

  - 3. Line number
  - 4. Predefined function

- function is to be performed?
  - 1. Keyword
  - 2. Operand

  - Interpreter
     Line number
- 1-23. Which of the following is a valid BASIC line number?
  - 1. 99.9
  - 2. +85
  - 3. 595
  - 4. 7/8
- 1-24. In BASIC, which of the following symbols would be used to indicate a multiplication operation?
  - 1.
  - 2. x
  - 3. / 4. \*
- 2. auxiliary processing 1-25. Which of the following numbers is valid in BASIC?
  - 1. 3,245
  - 2. 1/10
  - 3. 9.76
  - 4. \$12.00
  - 1-26. How would the number 34567890000 be represented using scientific notation in BASIC?
    - 1. 3.456789E10
    - 2. 3.456789E6
    - 3. 3.46E10
    - 4. 3.5E10
  - 1-27. Some mathematical operations are so frequently used they have been incorporated into BASIC. They are known as
    - syntax functions
       macro functions

    - 3. fundamental functions 4. predefine functions

- 1-28. If you entered two statements 1-33. Logic errors are detected in a with the same line number, which BASIC program by using the EDIT of the following conditions would prevail?
  - 1. You would get an error message
  - duplicate statement number would be executed
  - 3. The computer would assign another statement number to the duplicate statement
  - 4. The second statement would replace the first one
- Which of the following is the line numbers by 10?
  - 1. It is easier to keep track of the numbers used
  - 2. It allows you to insert statements later without renumbering
  - 3. It is required by the BASIC language

OUESTIONS 1-30 THROUGH 1-33 ARE TO BE JUDGED TRUE OR FALSE.

- When you are keying in a BASIC program and you omit a statement, you can enter it later as long as you assign the statement a line number that will cause it to be placed in the proper sequence.
  - 1. True
  - 2. False
- There must be a space between each character in a BASIC statement.
  - 1. True
  - 2. False
- Assume you make several mistakes 1-38. Which of the following PRINT 1-32. while keying in a BASIC statement. You can correct them by depressing the backspace key once for each character you wish to erase or replace.
  - 1. True
  - 2. False

- BASIC program by using the EDIT function.
  - 1. True
  - 2. False
- 2. The first statement with the 1-34. Which of the following commands could be used to display a statement that has already been entered into the computer?
  - 1. DELETE

  - 2. INSERT
    3. EDIT/RECALL
  - 4. RETURN
- primary reason for incrementing 1-35. Which of the following keywords is used to include documentation and/or programmer comments in a program?

  - 1. COMMENT
    2. ANNOTATION
  - 3. REMARK
  - 4. DOCUMENTATION

4. It makes it easier to refer- Learning Objective: Describe the uses ence statements to be changed of END and PRINT statements in BASIC programs and recognize their syntax.

- 1-36. What keyword indicates to the BASIC compiler that there are no more statements to be translated and terminates execution of a program?
  - 1. PRINT
  - 2. LET
  - 3. END
  - 4. STOP
- 1-37. In BASIC, the predefine format for printed output is referred to as what type of spacing?
  - 1. Packed
  - 2. Standard
  - 3. Predefined
  - 4. Zoned
- statements would print the value of a variable named Z?
  - 1. 10 PRINT Z
  - 2. 10 PRINT "Z="
  - 3. 10 PRINT "Z"
  - 4. 10 PRINT (Z)

- 1-39. Which of the following PRINT 1-45. What is the purpose of using a for the variables X, Y, and Z?
  - 20 PRINT XYZ

  - 2. 20 PRINT "X,Y,Z"
    3. 20 PRINT X+Y+Z
    4. 20 PRINT X,Y,Z
- 1-40. GIVEN: 10 PRINT (52+64-32)\*4

What would be printed?

- 1. (52+64-32)\*4
- 2. 52+64-32\*4
- 3. 336
- 4. (52+64-32)\*4=336
- 1-41. To print a message, the message must be enclosed in what punctuation?

  - Commas
     Semicolons
  - 3. Parentheses
  - 4. Quotation marks
- 1-42. If a blank PRINT statement is included in a program, what effect, if any, will it have on the output?
  - 1. It will cause a blank line in the output
  - 2. It will cause an error message
  - 3. It will serve as filler in case you want to add a PRINT statement later
  - 4. It will have no effect, blank PRINT statements are ignored
- 1-43. In a PRINT statement, what punctuation marks are used as separators to cause standard spacing?
  - Semicolons 1.
  - 2. Commas
  - Ouotation marks 3.
  - 4. Parentheses
- 1-44 . In a PRINT statement, what punctuation marks are used as separators to cause packed spacing?
  - 1. Commas
  - Quotation marks
     Parentheses

  - 4. Semicolons

- statements would print the values comma at the end of a PRINT statement?
  - 1. To cause a message to be printed exactly as it appears in the program
  - 2. To cause a blank line in the printed output
  - 3. To cause a blank field in the printed output
  - 4. To allow the information in the following PRINT statement to be printed on the same line
  - 1-46. When a comma is used at the end of a PRINT statement, where will the data in the following PRINT statement begin printing?
    - 1. In the next available print zone
    - On the next print line
    - 3. Immediately following the last character in the preceding print line
    - 4. One space after the last character in the preceding print line
    - 1-47. Which of the following effects will a semicolon in a PRINT statement have on the printed output?
      - 1. Numeric data will always have two blank spaces between data elements
      - 2. Messages will always be printed together

        3. Both 1 and 2 above

        4. Messages and numeric data

      - will have two blank spaces between data elements
    - 1-48. Where, if anywhere, are the results of computations done in PRINT statements stored?
      - They are stored in the program
      - They are stored in the computer's memory
      - They are stored on tape for later use
      - 4. They are not stored, only printed

Learning Objective: Identify the symbols used for arithmetic operations. Write BASIC statements to solve arithmetic expressions.

- 1-49. What BASIC keyword is used to assign a value to a variable name or to instruct the computer to do a computation and assign the result to a variable name?
  - 1. LET
  - 2. PRINT
  - 3. RESTORE
  - 4. DEFINE
- 1-50. Which of the following best describes a LET statement?
  - It is a statement of algebraic equality
  - It is known as an assignment statement
  - Its values cannot be stored in a computer's memory
  - 4. It is a value represented by algebraic symbols
- Which of the following arithmetic expressions would be used to perform multiplication in BASIC?

  - 1. XY 2. X•Y  $X \bullet Y$
  - 3.  $X \times Y$
- 1-52. In BASIC, if you forget to include the appropriate arithmetic operator in an arithmetic expression, which of the following conditions occurs?
  - The computer ignores the 1. statement
  - The computer automatically assumes multiplication
  - 3. The computer gives you an error condition
  - 4. The computer uses the operator from the previous arithmetic expression
- According to the precedence rule, 1-53. which of the following arithmetic operations will the computer perform first?
  - 1. \*\*
  - 2. \*
  - 3. /
  - 4

1-54. GIVEN: 20 LET M=8/4\*3

What would be the result?

- 1. .75
- 2. 6 3. 9 4. 96
- 1-55. What punctuation marks are used to alter the order of precedence in arithmetic expressions?
  - 1. Commas
  - 2. Parentheses
  - 3. Semicolons
  - 4. Quotation marks
- Which of the following arithmetic 1-56. expressions is properly coded

to solve  $B = \frac{M}{X+Y}$  in BASIC?

- LET B=M/X+Y 1.
- 2. LET B=(M/X+Y)
- 3. LET B=(M/X)+Y
- 4. LET B=M/(X+Y)
- 1-57. What is the order of performance of arithmetic operators when parentheses are inside parentheses?
  - 1. Left to right
  - Inside pair performed first 2.
  - Exponentiation is always done first
  - Right to left

Learning Objective: Define and recognize constants and variables.

- 1-58. What is the term used to refer to a location in memory whose value may change during program execution?
  - Constant
  - 2. String
  - 3. Variable
  - 4. Operator
- 1-59. Constants have which of the following characteristics?
  - They may contain character strings only
  - 2. They may contain numeric
  - data only Their values remain the 3. same during program execution
  - Their values may change during program execution

- 1-60. Which of the following is a 1-66. Which of the following conditions properly coded numeric-variable name?
  - 1. M\$
  - 2. 1M
  - 3. XY
  - 4. A1
- Which of the following variable 1-61. names could be used to represent the data, "FRED MCGEE", "DPC"?
  - 1. N1, Rl
  - 2. N\$, RA
  - 3. NA, R\$
  - 4. N\$, R\$
- 1-62. Which of the following describes numeric-variable names?
  - 1. A single numeric digit (0-9)
  - 2. Any two alphabetic characters (A-Z)
  - 3. A single alphabetic character 1-68. GIVEN: 10 READ M,G,S,Y (A-Z), or one alphabetic character (A-Z), followed by a single numeric digit (0-9)
  - 4. A single numeric digit (0-9) followed by one alphabetic character (A-Z)

Learning Objective: Code statements to introduce data into a computer system.

- 1-63. What keyword is used to access data stored in a program and assign it a variable name?
  - 1. DATA
  - 2. READ
  - 3. INPUT
  - 4. RESTORE
- Data stored in a data list in 1-64. the computer's memory is specified by what keyword?
  - 1. DATA
  - 2. RESTORE
  - 3. LET
  - 4. LOAD
- In what order are the values 1-65. in data lists assigned to variable names in READ statements?

  - Randomly
     Arbitrarily
  - 3. Consecutively
  - 4. Alphabetically

- occurs when an excess of data in DATA statements is encountered?
  - The computer reassigns variable names beginning with the first one
  - The computer gives an error message
  - 3. The computer terminates the program
  - 4. The computer ignores the excess data
- What punctuation marks are used 1-67. to separate variables in READ statements and values in DATA statements?
  - 1. Commas
  - 2. Semicolons
  - Colons
  - 4. Parentheses
- 20 DATA 475,16,42,20

What value would be assigned to the variable G?

- 16 1.
- 2. 20
- 3. 42
- 475 4.
- 1-69. What keyword is used to reset the pointer to the top of the data list in DATA statements?
  - 1. RESET
  - 2. RESTORE
  - 3. LOAD
  - 4. RETURN
- 1-70. What keyword is used to introduce data into a program during program execution?
  - 1. READ
  - 2. RESTORE
  - 3. LOAD
  - 4. INPUT
- 1-71. What punctuation is used to separate variable names specified in INPUT statements?

  - Semicolon
     Question mark
     Colon

  - 4. Comma

```
10 READ P,Q,R
20 RESTORE
30 READ X,Y,Z
40 INPUT A,B
50 DATA 9,7,5
60 DATA 3,1
99 END
```

Figure 1A.--Program.

IN ANSWERING QUESTIONS 1-72 THROUGH 1-74, REFER TO FIGURE 1A.

- 1-72. After execution of the READ statement in line 10, at what value would the pointer be positioned?
  - 1. 1
  - 2. 5
  - 3. 3
  - 4.
- What values, if any, would be as-1-73. signed to the variables X, Y, and Z by the READ statement, line 30?
  - 1. 9,7,5 would be assigned to X,Y, and Z respectively
  - 5,3,1 would be assigned to X,Y, and Z respectively
  - 3 and 1 would be assigned to X and Y respectively, no value would be assigned to Z
  - The computer would give an "INSUFFICIENT DATA" error message

- 1-74. What values would be assigned the variable names in the INPUT statement in line 40?
  - Any two alphabetic values entered by the user
  - Any two numeric values
  - entered by the user The first and second values in the DATA statement in line 50
  - The first and second values in the DATA statement in line 60
- 1-75. If you are entering data via an INPUT statement and you enter too few values, which of the following conditions occurs?
  - The computer processes the values entered
  - The computer gives you an "INSUFFICIENT DATA" error message
  - 3. The computer responds with question marks until the specified number of values are entered
  - 4. The program terminates

# **Assignment 2**

Transfer of Control Statements, Loops, Functions, Subroutines, Arrays, Printed output, and File Processing Concepts

Textbook Assignment: pages 4-6 through 7-14 and figure 7-2

Learning Objective: Select and use transfer of control statements to alter the normal sequence of program execution and to control program loops.

- In BASIC, a transfer of control instruction which alters the normal sequence of program execution based on the evaluation of a relationship is known as which of the following?
  - Conditional
  - 2. Unconditional
  - 3. Assignment
  - Subroutine
- Which of the following keywords is used to unconditionally alter the normal sequence of program execution?
  - IF-THEN
  - 2. ON-GOTO
  - COMPUTED GOTO 3.
  - GOTO
- Which of the following terms is used to refer to any sequence of instructions that is to be repeated some specified number of times or until a particular condition is met?
  - 1. Loop
  - Subroutine
  - Branching 3.
  - Cycling
- What is the maximum number of conditions that result from the evaluation of a relational IF-THEN statement?
  - 1. One
  - 2. Two
  - Three 3.
  - 4. Four

- 2-5. The relational IF-THEN statement transfers control only if the state of the relationship tested proves to be which of the following?
  - 1. True
  - 2. False
  - 3. Equal
  - Unequal
- Which of the following statements would result in a branch to line 2-6. 90 when X equals 70?
  - 40 IF END = 70 THEN 90 40 IF X = 70 THEN 90 1.
  - 2.
  - 40 ON X = 70 THEN 90 3.
  - 40 ON X= 70 GOTO 90
- 2-7. Which of the following statements could be used to transfer control to line 200 when the loop has been executed 15 times?
  - 30 GOTO 200 WHEN C=15 1.
  - 2. 30 WHEN C=15 then 200
  - 3. 30 IF C=15 THEN 200
  - 30 IF C EQUALS 15 THEN 200 4.
- 2-8. A loop can be controlled by using a numeric variable as a counter and testing to determine when the counter reaches a predetermined number. Which of the following statements could be used to accumulate a count?
  - 80 ADD 1 TO C
  - 2. 80 LET C EQUAL C PLUS 1
  - 3. 80 LET C+1=C
  - 4. 80 LET C=C+1

- 2-9. counter, it is good practice to initialize it to be sure it
  - 1. is defined by the program
  - contains the value you want it to have
  - 3. contains a one
  - 4. can be referenced as a counter
- 2-10. GIVEN:

10 ON X/10 GOTO 60,90,110,110

X would cause control to be transferred to line 90?

- 1. X=2 only
- 2. X=20 only
- 3.  $X \ge 2$  and < 3
- 4.  $X \ge 20$  and < 30

IN ANSWERING OUESTIONS 2-11 THROUGH 2-14, REFER TO FIGURE 4-2 IN THE TEXT.

- 2-11. If you entered a Fahrenheit temperature of 220 and a 1, which set of statements would be executed following statements 60, 90, and 100?
  - 1. 110,120,170,180
  - 2. 110,130,140,170,180
  - 130,140,170,180
  - 4. 130,140,150,170,180
- Line 130 could be executed if 2-12. which of the following conditions exists?
  - 1. A Celsius temperature converted to Fahrenheit is equal to or greater than 100°F
  - 2. A 2 is entered at line 50
  - 3. A Fahrenheit temperature 2-18. GIVEN: 40 FOR A = 1 TO 20 converted to Celsius is greater than 100°C
  - 4. A Celsius temperature greater than 100 is entered at line 20
- 2-13. What value(s) input at line 180 will cause line 10 to be executed?

  - 1. Q\$
    2. "Q\$"
    3. Both 1 and 2 above

- Before you use a variable as a 2-14. Under which, if any, of the following conditions will line 70 be executed?
  - 1. When an integer value other than 1 or 2 is entered at line 50
  - 2. When a Fahrenheit temperature and a 2 are entered
  - 3. When a Celsius temperature and a 1 are entered
  - 4. None of the above

Learning Objective: Define the Which of the following values of structure and rules of FOR-NEXT loops.

- 2-15. Which of the following is the name given to the variable whose value is used to determine when a loop has been executed the specified number of times?
  - String-variable
     Loop variable

  - 3. Running variable 4. Control variable
- 2-16. Which of the following could be the first statement of a FOR-NEXT loop?
  - 1. FOR X = 20
  - 2. FOR X = 1 TO 20
  - 3. FOR X = 1 NEXT 20 4. NEXT 20
- 2-17. Unless otherwise specified, the value of the running variable is increased by what value each time a FOR-NEXT loop is executed?
  - 1. One
  - 2. Two
  - Three
  - 4. Four
- 50 PRINT A\*\*2

60 NEXT A

What total number of times will this loop be executed?

- 1. 1 2. 19
- 3. 20

- What keyword(s) would be used to specify a running variable's value is to be incremented by some value other than one?

  - 1. FOR-TO 2. FOR-NE FOR-NEXT
  - 3. STEP
  - 4. NEXT

QUESTIONS 2-20 THROUGH 2-23 ARE TO BE JUDGED TRUE OR FALSE.

- 2-20. A FOR-NEXT loop must always begin with a FOR-TO statement and end with a NEXT statement.
  - 1. True
  - 2. False
- 2-21. A running variable cannot be used inside a loop.
  - 1. True
  - 2. False
- The running variable name used 2-22. in the FOR-TO statement does not have to be the same as the one used in the NEXT statement.

  - True
     False
- 2-23. Control can be transferred out of a FOR-NEXT loop but not into one.
  - 1. True
  - 2. False
- Under which of the following 2-24. conditions would a FOR-NEXT loop NOT be executed?
  - The initial and final values of the running variable are equal and the step size is zero
  - 2. The final value of the running variable is less than the initial value and the step size is negative
  - The final value of the running variable is greater than the initial value and the step size is positive
  - 4. Each of the above

- 2-25. A loop within a loop is known as what kind of loop?
  - 1. DO
  - 2. Computed GOTO
  - 3. FOR-NEXT
    4. Nested

Learning Objective: Define and use arrays.

- 2-26. What keyword is used to define the size of an array?
  - 1. DATA
  - 2. DEFINE
  - LET
  - 3. 4. DIMENSION
- 2-27. A subscripted variable is used to do which of the following?
  - 1. Cause a branch to a subroutine
  - 2. Return control from a subroutine to the main program
  - 3. Indicate a data element's relative position in an array
  - 4. Define the number of memory spaces needed for an array
- 2-28. Suppose you wanted to reference position five in a one dimensional array, which of the following terms could be used to accomplish this?
  - 1. DIM (4,1) 2. D (5)

  - 3. D (4,1)
  - 4. DIM (5)
- Which of the following DIM statements is properly coded to 2-29. reserve 150 spaces in memory for a two-dimensional array with 15 columns and 10 rows?
  - 1. 10 DIM (15,10)
  - 2. 10 DIM A (15,10)
  - 3. 10 DIM A (10,15)
  - 4. 10 DIM (10,15)
- Memory space for what total number of data elements is 2-30. automatically reserved for a one-dimensional array?
  - 11 1.
  - 12 2.
  - 3. 121
  - 4. 133

- 2-31. Which of the following BASIC statements correctly references the data in row 12, column 10 of a matrix containing numeric data?
  - 10 LET X=Y (12,10)
  - 2. 10 LET X\$=Y\$ (12,10)
  - 3. 10 LET X=Y (10,12)
  - 10 LET X\$=Y\$ (10,12)
- Which of the following array 2-32. names correctly identifies an array containing string data?
  - 1. AB 2. D1

  - 3. lA\$
  - 4. A\$

Learning Objective: Describe functions 2-38. What is the maximum number of and subroutines, including their syntax and keywords used.

2-33. GIVEN: 60 PRINT ABS (-10)

What is the name given to the to the number in parentheses?

- 1. Expression
- 2. Argument
- 3. Function
- Value
- 2-34. If there is no predefine function to perform the computation you want to do, you may define your own by using what keyword?
  - 1. FND
  - 2. DEF
  - 3. DIM
  - FN
- Which of the following is a 2-35. correctly-coded string function name?
  - 1. FN\$
  - 2. FNA
  - 3. FNA\$
  - 4. FN1\$

- 2-36. At what point is the expression in a function definition statement evaluated?
  - 1. When the program is compiled
  - When the defined function is referenced
  - When the function definition statement is encountered
  - 4. When the argument is defined
- A function may be defined a maximum of how many times in a 2-37. program?
  - 1. One
  - 2. Two
  - 3. Three
  - 4. Four
- numeric functions that may be defined in a single program?
  - 1.
  - 2. 26
  - 3. 32
  - 36 4.
- 2-39. A small program within another program is known as which of the following?
  - Loop 1.
  - 2. Nested loop
  - 3. DO loop
  - 4. Subroutine
- 2-40. What keyword(s) is/are used to transfer control to a subroutine?
  - 1. GOTO
  - 2. ON-GOTO
  - 3. GOSUB
  - 4. IF-THEN
- 2-41. What keyword is used to transfer control from a subroutine back to the main program?
  - 1. RESET
  - 2. RESTORE
  - 3. RETURN
  - 4. STOP

- 2-42. When control is transferred from 2-46. What punctuation marks are most a subroutine back to the main program, to what statement does control return?
  - The statement immediately following the RETURN statement
  - 2. The statement immediately preceding the GOSUB statement
  - 3. The last statement of the subroutine
  - The statement immediately following the GOSUB statement
- Which of the following descriptions applies to the use of a STOP statement?
  - 1. It must be the last statement of a subroutine
  - It must be the last statement in a program
  - It may be placed anywhere in a program
  - 4. It may be used in place of an END statement

Learning Objective: Code statements to format printed output.

- The number or expression in parentheses following a TAB function is used to indicate the
  - 1. number of characters in that field
  - 2. number of blank spaces to be left at the beginning of that field
  - 3. position where printing is to begin
  - line number where the values for the variables are stored
- 2-45. If a print position specified in a TAB function has already been passed, where will the data print?
  - 1. In the next print zone
  - 2. In the next available print position
  - The printer will backspace to the specified print position and overprint
  - 4. On the next print line in the specified print position

- commonly used as separators in PRINT statements containing TAB functions?
  - 1. Colons
  - 2. Semicolons
  - 3. Commas
  - 4. Parentheses
- 2-47. Assume you are to center a column heading with 8 characters over a data field with 16 characters. What total number of blank print positions would be to the left of the heading?
  - 1. Six
  - Five
  - 2. 3. Three
  - 4. Four
- 2-48. Which of the following entries must be included in a-PRINT USING statement?
  - 1. Line number of a format statement
  - 2. variables or expressions Both 1 and 2 above
  - 3.
  - 4. Literals and format control characters

QUESTIONS 2-49 THROUGH 2-52 ARE TO BE JUDGED TRUE OR FALSE.

- 2-49. Literals specified in format lines must be enclosed in quotation marks.
  - True
  - 2. False
- 2-50. Format lines may contain a combination of literals and format control characters.
  - 1. True
  - 2. False
- 2-51. When you are printing only literals, they may be included in the PRINT USING statement.
  - 1. True
  - 2. False
- 2-52. Only string variables may be printed using the TAB function.
  - 1. True
  - 2. False

- 2-53. By using an output image you may print numeric-variables in which of the following ways?
  - In any location on a print line
  - 2.
  - Left justified
    With leading zeros
    Each of the above 3.
- To use an output image you must 2-54. have a/an
  - 1. FORMAT statement and a PRINT statement
  - 2. FORMAT statement and a PRINT USING statement
  - IMAGE statement and a PRINT statement
  - USING statement
- GIVEN: 30 PRINT USING 50,B 2-55. 50 %\$#,###.##

If B equals 199.255, what will print?

- 1. \$1,992.55
- \$ 199.25 \$199.25 2.
- 3.
- \$199.26

Learning Objective: Describe files and file handling concepts, terminology, and processing.

- 2-56. A series of characters used to identify a program is known as a
  - 1. master file
  - 2. transaction file
  - data name
     program n
  - program name
- What is the primary reason for 2-57. assigning a name to a program?
  - To allow it to be stored independently from the data
  - 2. So it can be used with different sets of data
  - 3. So it can be referenced, loaded, and run repetitively
  - 4. To allow it to be executed more than once

- 2-58. Data stored independently from a program on an auxiliary storage medium is known as a
  - 1. field
  - 2. file
  - 3. record
  - 4. zone
  - Which of the following is a 2-59. specified area of a record used for a particular category of data?
    - 1. Field
    - 2. File
    - 3. Character
    - 4. Zone
- IMAGE statement and a PRINT 2-60. An item of data with all its associated data is known by which of the following terms?

  - 1. Field 2. File
  - 3. Record
  - 4. Zone
  - 2-61. Which of the following types of statements accomplishes end-of-file processing and signals the computer the file is no longer needed?
    - WRITE
    - 2. RESET
    - 3. RESTORE
    - 4. CLOSE
  - 2-62. Which of the following types of statements names a data file and makes it available for processing?
    - 1. WRITE
    - 2. OPEN
    - 3. CLOSE
    - 4. SAVE
  - 2-63. The process of posting transactions to a master file in order to reflect current data is know as
    - 1. editing
    - 2. validating
    - verifying
    - 4. updating

IN ANSWERING QUESTIONS 2-64 THROUGH 2-68, REFER TO FIGURE 7-2 IN THE TEXT AND THE RELATED TEXT MATERIAL.

- 2-64. The program has what total number of loops?
  - 1. Six
  - 2. Five
  - 3. Three
  - 4. Four
- 2-65. Numeric-variable K is used for which of the following purposes?
  - 1. To control the FOR-NEXT loops
  - 2. To count the number of records updated
  - 3. Both 1 and 2 above
  - 4. To control reading of the master file
- 2-66. Which of the following is the purpose of blocks 7, 8, and 9 on the flowchart?
  - Test for end of part numbers to be updated
  - Update on-hand quantity
     Search array P for
  - 3. Search array P for matching part number
  - 4. Accumulate a total of parts data

- 2-67. If a part number is entered and not found in the master data, the program will do which of the following things?
  - Terminate with an error message
  - 2. Print part # not found, enter part #
  - Add the part number to the master data
     Assume end of data and go
  - Assume end of data and go to the next segment of the program
- 2-68. Which of the following conditions would cause the parts data information to be printed on the items below stock level list?
  - If the on-hand quantity is less than the reorderpoint quantity
  - point quantity

    2. If the on-hand quantity is equal to the reorder-point quantity
  - 3. Both 1 and 2 above
  - If the on-hand quantity is greater than the reorderpoint quantity

#### COURSE DISENROLLMENT

All study materials must be returned. On disenrolling, fill out only the upper part of this page and attach it to the inside front cover of the textbook for this course. Mail your study materials to the Naval Education and Training Program Management Support Activity.

PRINT CLEARLY

| NAVEDTRA NU   | MBER        |  | COURSE TITLE  |  |
|---------------|-------------|--|---|--|
| 10079-        | -2          | Intr   | oduction to Programming in BASIC  |  |
|               |             |  |   |  |
| Name          | Last        | First  | Middle  |  |
| Rank/Rate     |             | Designator   | Social Security Number  |  |
|               |             | COURSE COMPLETION  |   |  |
|               |             | Letters of satisfactory completion are iss personnel whose courses are administered by Education and Training Program Management on completing the course, fill out the low page and enclose it with your last set of Be sure mailing addresses are complete. M. Naval Education and Training Program Manage Activity. | y the Naval<br>Support Activity.<br>er part of this<br>answer sheets.<br>ail to the |  |
|               |             | PRINT CLEARLY  |   |  |
| NAVEDTRA NUI  | MBER        |  | COURSE TITLE  |  |
| 10079-        | -2          | Introduction to Programming in BASIC   |   |  |
|               |             |  |   |  |
|               |             | Name   |   |  |
|               |             |  |   |  |
|               |             | 71   | P CODE  |  |
| Y SERVICE I   | RECORD IS   |  |   |  |
| Activity      | <del></del> |  |   |  |
| Address       |             |  | ZIP CODE  |  |
| Signature of  | f anvolles  |  |   |  |
| right cure wi |             | PRIVACY ACT STATEMENT  |   |  |

Under the authority of Title 5 USC 301, information regarding your military or other DOD status is requested on this answer sheet in order to complete a Navy Correspondence Course. The information will also be used to process course completion letters and to construct and maintain an official and continuing record of correspondence course participation. The cumulative course participation record will not be divulged, without written authorization, to anyone other than those within the DOD for official use in determining performance and effecting organizational and administrative management.

NETPMSA 1550/31 (4-88)

A FINAL QUESTION: What did you think of this course? Of the text material used with the course? Comments and recommendations received from enrollees have been a major source of course improvement. You and your command are urged to submit your constructive criticisms and your recommendations. This tear-out form letter is provided for your convenience. Typewrite if possible, but legible handwriting is acceptable.

|       |   | Date          |
|-------|---|---------------|
| From: | (RANK, RATE, CIVILIAN)  | _ SSN         |
|       |   | -<br>         |
|       |   | _ ZIP CODE    |
| To:   | Naval Education and Training Program<br>Management Support Activity (Code 314)<br>Pensacola, Florida 32509-5000 |               |
| Subj: | INTRODUCTION TO PROGRAMMING IN BASIC, NAV   | EDTRA 10079-2 |

The following comments are hereby submitted:

1.

| (Fc  | old along dotted li   | ne and staple or t | cape) |
|--|-----------------------|--------------------|-------|
| DEPARTMENT OF TH   | HE NAVY               |                    |       |
| NAVAL EDUCATION AND TRAINING MANAGEMENT SUPPORT ACTIVITY | PROGRAM<br>(Code 314) |                    |       |

(Fold along dotted line and staple or tape)

NAVAL EDUCATION AND TRAINING PROGRAM MANAGEMENT SUPPORT ACTIVITY

**BUILDING 2435** (Code 314) **PENSACOLA, FL 32509-5000** 

PENSACOLA, FL 32509-5000

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NAVEDTRA 1430/5 Stock Ordering No. 0502-LP-216-0100

#### PRINT OR TYPE TITLE NAVEDTRA NAME **ADDRESS** Street/Ship/Unit/Division, etc. Last First Middle City or FPO State RANK/RATE SOC. SEC. NO. DESIGNATOR ASSIGNMENT NO. ☐ USNR ☐ ACTIVE ☐ INACTIVE USN OTHER (Specify) DATE MAILED SCORE 3 4 26 🔲 🔲 🔲 51 🔲 🔲 🔲 2 🗆 🗆 🗆 🔻 27 🔲 🔲 🖂 🖳 \_\_\_\_\_\_ 52 🗆 🗆 🗆 \_\_\_\_\_ 3 0 0 0 28 🗌 🗎 🔲 55 🗌 🔲 🔲 🗎 4 🗆 🗆 🗆 🗆 29 🔲 🔲 🔲 54 🗆 🗆 🗆 5 🗆 🗆 🗆 🗆 \_\_\_\_\_ 30 🗆 🗆 🗆 \_\_\_\_\_ 55 🔲 🔲 🔲 🖳 \_\_\_\_ 6 🗆 🗆 🗆 🗆 \_\_\_\_\_ 31 🔲 🔲 🔲 56 🗌 🔲 🔲 🔲 7 🗆 🗆 🗆 🗆 32 🔲 🔲 🔲 57 🗆 🗆 🗆 🗆 8 🗆 🗆 🗆 🗆 ...... 33 🗆 🗆 🗆 🗆 \_\_\_\_\_ 58 🗆 🖂 🖂 🖂 9 🗆 🗆 🗆 \_\_\_\_\_ 34 🗌 🔲 🔲 🗎 59 🔲 🔲 🔲 \_\_\_\_\_ 10 🗆 🗆 🗆 \_\_\_\_\_ 35 🗆 🗀 🗀 🗀 60 🗌 🗎 🔲 11 🗆 🗆 🗆 🗆 \_\_\_\_\_ 36 🗌 🔲 🔲 🔙 \_\_\_\_\_ 61 🔲 🔲 🔲 \_\_\_\_\_\_ 37 🔲 🔲 🔲 \_\_\_\_\_ 12 🔲 🔲 🔲 62 🗆 🗆 🗆 \_\_\_\_\_ 13 🔲 🔲 🔲 38 🔲 🖂 🖂 63 🔲 🔲 🔲 14 🗌 🔲 🔲 39 🔲 🔲 🔲 64 🗌 🗎 🔲 🗎 15 🗌 🗎 🔲 📗 \_\_\_\_\_ 40 🗆 🗆 🗆 \_\_\_\_\_ 65 🗆 🗆 🗆 \_\_\_\_\_ 16 🗌 🗎 🔲 41 🔲 🔲 🔲 🖂 66 🗆 🗆 🗆 \_\_\_\_\_ 17 🔲 🔲 🔲 🖳 42 🗆 🗆 🗆 🗆 67 🗌 🔲 🔲 🖳 \_\_\_\_\_ 18 🗆 🗆 🗆 \_\_\_\_\_ 43 🗆 🗆 🗆 \_\_\_\_\_ 68 🗆 🗆 🗆 \_\_\_\_\_ 19 🔲 🔲 🔲 \_\_\_\_\_ 44 🗆 🗆 🗆 🗆 \_\_\_\_\_ 69 🔲 🔲 🔲 20 🗆 🗆 🗆 45 🗆 🗆 🗆 \_\_\_\_\_ 70 🗆 🗆 🗆 🗆 21 🗆 🗆 🗆 \_\_\_\_\_ 46 🗆 🗆 🗆 🗆 \_\_\_\_\_ 71 🗆 🗆 🗆 🔻 22 🗆 🗆 🗆 47 🗌 🔲 🔲 📗 \_\_\_\_\_ 72 🔲 🔲 🔲 🚃 \_\_\_\_\_ 23 🗌 🗎 🔲 48 🗌 🔲 🔲 73 🔲 🔲 🔲 \_\_\_\_\_ 49 🗌 🗎 🗎 \_\_\_\_\_ 74 🗆 🗆 🗆 🗆 \_\_\_\_\_ 24 🗌 🗎 🔲 🔲

THIS FORM MAY BE LOCALLY REPRODUCED

25 🗌 🗎 🔲 🔲

50 🗌 🗎 🗎

75 🔲 🔲 🔲 🖳